

< PEEL OPEN HERE

APEX COCKROACH BAIT

KILLS:

Cockroaches, including American, German, Oriental, Smokey Brown, and other species.

FOR USE IN AND AROUND STRUCTURES:

Residential, Commercial, Industrial, Food/Feed Handling Establishments (non-food/feed areas), Restaurants, Hospitals and Nursing Homes (Non-patient Areas), Hotels, Motels, Agricultural Buildings, Office Buildings, Schools, Transportation Equipment (Buses, Cargo Trucks, Trailers, Trains), Sewers, Animal Rearing Establishments, and Warehouses

Active Ingredients:

Imidacloprid 2.15%

Other Ingredients: 97.85%

TOTAL: 100.00%

STOP - READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN

CAUTION

Net Contents: 1.058 oz (30 Grams)

EPA Reg. No. 92028-3-88746
EPA Est. No. 88746-TX-001



2739 Pasadena Blvd. • Pasadena, TX 77502

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use strictly in accordance with label precautionary statements and directions.

Use Apex Roach Bait as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non-food/non-feed areas of institutional, warehousing and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, sewers, aircraft, buses, boats/ships, trains, homes, houses, industrial buildings, office buildings, kennels, kitchens, manufacturing facilities, spice

plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as outlined below. Product may stain textiles, fabrics, and/or porous surfaces.

USE RESTRICTIONS:

- USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN AND PETS.
- Do not treat food preparation surfaces. Keep gel away from foods and food contact surfaces.
- Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as it may cause the bait to become repellent.
- Place bait out of reach of pets.

APPLICATION DIRECTIONS:

Wear long sleeved shirt, long pants, shoes, and socks when applying the product. Application rate for all uses: Application rate varies according to the level of infestation and species of cockroach to be controlled. Apply bait as rounded drops into cracks and crevices or as a spot treatment. Place bait close to cockroach harborages, foraging, and feeding areas such as corners and cracks and crevices. Numerous smaller bait placements provide more opportunities for cockroaches to feed on the bait than fewer larger placements. Use the highest rate of application in cases of severe infestation and areas with excessive clutter or alternative food sources that cannot be eliminated.

Apex Roach Bait applications rates used for different cockroach species

Cockroach Species	Minimum Application Rate per square yard		Application Rate per 100 square feet		
	Drops	Oz.	Drops	Oz.	Total Bead Length (inches)
German	3	0.0047	37	0.0522	7
Oriental	5	0.0071	56	0.0789	10
American	5	0.0071	56	0.0789	10

Using the application gun, apply the Apex Roach Bait in lines (beads) approximately 1/8-inch wide and varying lengths. Use the table to determine the bead length of Apex Roach Bait according to the species of cockroach. Inspect placements of gel bait every one to two weeks and replenish bait based on the amount consumed. Periodically inspect bait placement sites removing dried out old bait and replacing with fresh bait as needed. Place bait under baseboards, sinks, countertops, seats, around water pipes, water heaters, dishwasher equipment, in crack and crevices as well as voids where insects harbor. Applications in Food/Feed Handling Establishments: Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. If bait contacts an exposed surface where food is handled, remove bait and wash exposed surface prior to use. Apply with bait injector directly into cracks and crevices. Place applicator tip 1/2 inch into cracks, crevices, holes and other small openings where roaches may be a problem. Apply small amounts of bait.

WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequately and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.

pesticide disposal and container handling: Non-refillable container. Do not reuse this container. If empty: Other container for recycling, if available, or place in trash if allowed by state and local regulations. If partly filled: Call your local solid waste agency for disposal instructions.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets. STORAGE AND DISPOSAL: This product may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushing. Environmental stresses such as direct sunlight and water will reduce the residual effectiveness. Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushing.

Apply bait to potential points of insect entry, such as eaves, sills, and expansion joints. Apply bait in protected areas whenever possible. Environmental stresses such as direct sunlight and water will reduce the residual effectiveness. Priority treatment areas For outdoor use (adjacent to home or structure): Place bait in areas adjacent to structures where roaches may nest or breed.

Bait placements every one to two weeks and reapply as necessary. smaller bait placements provide more opportunities for cockroaches to feed on the bait than fewer larger placements. Inspect Bait placements should be at or near harborages or aggregation areas, such as corners or cracks and crevices. Numerous is not permitted.

Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment where cockroaches hide. During follow-up visits inspect bait placements and reapply when necessary.

around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves, and other equipment between equipment and floor, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, storage, and enclosed processing systems (mills, driers, edible oils, syrups). Serving areas are also considered a food/feed

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste Do not deposit gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface.

• Do not apply bait to areas where food/feed, utensils, or processing surfaces may become contaminated. prepared food holding surfaces as bait may be removed by washing.

• Do not apply bait to areas that are routinely washed, such as cracks and crevices in tops of tables, food/feed preparation, and

Use Restrictions in Food/Feed Handling Establishments: